	Application No.	Applicant(s)
Notice of Allowability	10/690,619	SETO ET AL.
	Examiner	Art Unit
	Thinh H Nguyen	2861
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-23.</u>		
3. The drawings filed on are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 031904.		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. 🔲 Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0-Paper No./Mail Date 102303	Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	ent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	<del></del>	nt of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/690,619 Page 2

Art Unit: 2861

## **EXAMINER'S AMENDMENT/COMMENT**

## Drawings

1. Figures 9 and 11 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

## **Reasons for Allowance**

2. The following is an examiner's statement of reasons for allowance:

The primary reason for the indication of the allowability of claims 1-20 is the inclusion therein of the limitations of . These limitations are neither suggested nor taught by the prior art of record, alone or in combination as claimed.

The primary reason for the indication of the allowability of claims 24-45, 63-65 is the inclusion therein of the limitations of arrangement of an inkjet recording head includes at least two nozzle groups which are grouped over a plurality of the nozzle rows, and each nozzle group is offset, relative to a neighboring nozzle group, in a direction intersecting a row direction of the nozzle rows such that the nozzle groups are arranged in a staggered form, and the numbers of nozzles in the nozzle rows of each nozzle group decrease in the direction intersecting the row direction, from the nozzle row at a side furthest from the neighboring nozzle group to the nozzle row at a side

Page 3 Application/Control Number: 10/690,619

Art Unit: 2861

closest to the neighboring nozzle group. These limitations are neither suggested nor

taught by the prior art of record, alone or in combination as claimed.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

**Contact Information** 

3. Any inquiry concerning this communication should be directed to examiner Thinh

Nguyen at telephone number (571) 272-2257. The examiner can generally be reached

Mon-Friday from 9:00A – 5:00P. The official fax phone number for the organization is

(703) 872-9306.

The examiner supervisor, Stephen Meier, can also be reached at (571) 272-

2149.

Any inquiry of a general nature or relating to the status of this application should

be directed to the group receptionist whose telephone number is (703) 308-1782.

Thinh Nguyen

March 19, 2004

Thinh Nguyen Primary Examiner

Technology Center 2800